

WESTERN EQUIPMENT LTD.

Tools & Equipment Specials



STRONGARM

AUTUMN 2023

Sale pricing in effect until October 31, 2023

Workbenches



61" x 25" Workbench

843005

- Heavy-duty 14-gauge steel and 1,300 lbs total capacity
- 61" x 25" heavy-duty work top
- Rear cross bracing provides additional protection against racking



\$499⁹⁵

LIST \$815.10

NEW!

61" x 25" x 36"

61" x 31" Workbench w/Drawer

843006

- Heavy-duty 14-gauge steel and 1,400 lbs total capacity
- Large 61" x 31" heavy-duty work top
- Large heavy-duty 100-lb capacity locking drawer



\$599⁹⁵

LIST \$978.18

NEW!

61" x 31" x 36"



72" x 31" x 36"

72" x 31" Workbench w/Drawer

843007

- Heavy-duty, 14-gauge steel and 1,400 lbs total capacity
- Large 72" x 31" heavy-duty work top
- Large heavy-duty 100-lb capacity locking drawer

FEATURES

- Built-in shelf with 650-lb capacity provides additional storage of parts, components, and tools
- 1-1/2" table edge on 3 sides prevents small parts from rolling off the table onto the floor



48" x 31.5" x 41.7"

48" Tear-Down Table w/Fluid Reservoir

843013

- More than 10 ft² of working area and 1,100 lbs of total capacity
- Built-in adjustable shelf
- Removable polyurethane fluid container captures leaking fluids
- Large heavy-duty 100 lb-capacity locking drawer
- Heavy-duty 4" casters (2 with brakes)

\$749⁹⁵

LIST \$1,222.80

NEW!


220-lb Adjustable Height Under-Hood Tool Tray

843016

NEW!

\$199⁹⁵

LIST \$326.04



- Adjustable height from 34" to 47.75"
- Centre post pad protects against body damage while working close to the vehicle
- 3" heavy-duty swivel casters (2 with brakes)
- 220-lb weight capacity
- Table Dimensions: 28.75" x 19.875" x 1.1"

100-lb Adjustable Height Under-Hood Tool Tray

843017

NEW!

\$329⁹⁵

LIST \$537.96



- Adjustable height from 35.4" to 48.4"
- 4 - 3" heavy-duty composite rubber swivel casters (2 with brakes)
- Offset centre post design and wide base
- 100-lb capacity
- Table Dimensions: 31.85" x 18.7" x 1.65"



Under-Hood Tool Trays

Campbell River
Tel: (250) 287-9111
Fax: (250) 287-9118

Chilliwack
Tel: (604) 792-1311
Fax: (604) 792-1148

Prince George
Tel: (250) 563-8871
Fax: (250) 563-2789

Surrey
Tel: (604) 574-3311
Fax: (604) 574-3329

Terrace
Tel: (250) 635-6567
Fax: (250) 635-4161

Vernon
Tel: (250) 545-5499
Fax: (250) 545-8177

Victoria
Tel: (250) 386-3194
Fax: (250) 386-2256

Tools & Equipment Specials

STRONGARM®

\$309⁹⁵

LIST \$504.79

2-1/2-Ton Service Jack plus 3-Ton Vehicle Stands

030416 | 952B-SP

- Combo pack promotion of 2-1/2 Ton Service Jack & 3 Ton Safety Stands for a super low promo price
- Designed for the professional user
- Equipped with safety valve to prevent overloading
- Rear-mounted swivel casters for easy maneuverability
- Heavy-duty pump, ram, and cylinders are precision machined

\$379⁹⁵

LIST \$620.17

3-1/2-Ton Service Jack plus 4-Ton Vehicle Stands

030420 | 965D-SP

- Combo pack promotion of 3-1/2 Ton Service Jack & 4 Ton Safety Stands for a super low promo price
- Designed for the professional user
- Equipped with safety valve to prevent overloading
- Rear-mounted swivel casters for easy maneuverability
- Heavy-duty pump, ram, and cylinders are precision machined


3-Ton 2xP Floor Jack

030417 | 953D

- 2xP – Double-pump design for fast, efficient lifting
- Superior-grade “soft” components for better performance in increased jack life
- Padded handle bumper protects vehicle finish
- Equipped with Safety Bypass to prevent overloading

\$297⁹⁵

LIST \$484.76



Ratcheting-Style Jack Stands


- Used and sold in pairs for supporting automotive vehicles after lifting
- Ductile iron support column with ratchet teeth provides multiple height positions
- Double-locks mechanism with both handle locks and mobility pin for increased safety
- Notched saddles for use with unitized vehicles
- Welded foot pads resist sinking into soft ground or asphalt

\$282⁹⁵

LIST \$461.49

032248 | 872C

Capacity: 12 Tons
Low Height: 19-1/4"
High Height: 28-1/3"



\$65⁹⁵

LIST \$108.09


032242 | 853B

Capacity: 3 Tons
Low Height: 11"
High Height: 16"



032244 | 856B

Capacity: 6 Tons
Low Height: 15-1/2"
High Height: 24"



\$104⁹⁵

LIST \$173.03

2-Ton Long Chassis Floor Jack – SHD


030604 | 982LCJ

SHD

- Ultra-low height at 2-3/4" is ideal for servicing sports cars and other low-rise vehicles
- 23-5/8" max. lift height provides versatility needed to lift small SUVs and lightweight pick-up trucks
- 18" throw allows the jack to reach all lift points under a vehicle
- Lightning Lift™ hydraulic system quickly raises the vehicle to desired lift height

\$439⁹⁵

LIST \$721.12



22-Ton Air/Hydraulic Truck Jack

030670 | 727A

- Designed for heavy-duty truck and trailer shop use, rail and bus work, and roadside service calls
- High-speed air motor design advances ram to load faster
- Narrow chassis design fits easily between tandem wheels
- Fully welded hydraulic pump and cylinder construction

\$599⁹⁵

LIST \$1,009.64

22-Ton Safety Stand Pin Type – Sold in Pairs

032220 | 868

- Used and sold in pairs
- Large 10"x 10" base for increased stability
- Multiple pin holes allow adjustment to desired height
- Fully steel construction for maximum durability

\$289⁹⁵

LIST \$475.91

20-Ton Air/Hydraulic Axle Jack

030642 | 721

- Ideal for lifting trucks, trailers, and other heavy-duty equipment
- Lightweight design is ideal for mobile repair service
- Self-retracting ram eliminates manual lowering of the jack
- Oil-resistant polyurethane-wrapped wheels

NEW!

\$499⁹⁵

LIST \$836.55

Jacks & Stands



10-PC 1/2" DR Twist Impact Socket Set

610392 | PST-1012

- Specially designed sockets for removal only of severely rusted or rounded fasteners
- Patented design bites harder as force is increased
- Dual-rated for SAE and Metric applications
- Heat-treated Cr-Mo steel
- Includes tommy bar for removing fastener from socket



\$117⁹⁵

LIST \$193.20



\$79⁹⁵

LIST \$132.65

5-PC 1/2" DR Mag Wheel Impact Socket Set

610341 | MWPS-512

- Specially designed for use on high-end aluminum and chrome-plated wheels
- Premium-grade Chrome Molybdenum Steel for professional use
- Plastic sleeve and inner cap to prevent scratches



1/2" DR x 3/4" x 13/16" Impact Flip Socket – 6 Point

682938 |

\$11⁹⁵

LIST \$19.78

1/2" DR x 19 mm x 21 mm Impact Flip Socket – 6 Point

682939 |

\$11⁹⁵

LIST \$19.78

- Sockets made of the finest-quality SAE 4140 Chrome Molybdenum high-impact steel
- Extra-thin walls allows access to all recessed lugnuts where clearance is limited
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and ANSI specifications

21-PC Ball Joint Master Service Kit

H3536 |

- For press fit vehicle components
- Removes and installs ball joints, universal joints, truck brake anchor pins, and 4WD ball joints
- Fits most Dodge® Ram, Ford®, GM®, IHC® and Jeep® 2 and 4 wheel drive pick-up trucks, SUVs and vans with Dana® front axles

\$519⁹⁵

LIST \$848.07



Air Line Inflator w/Tire Gauge – Dial Type

H3284 |



\$176⁹⁵

LIST \$288.42

- 3-in-1 tool, air line inflator & deflator with tire pressure gauge
- Heavy-duty construction
- 360° swivel easy-to-read gauge with heavy-duty rubber gauge-head protector



\$228⁹⁵

LIST \$373.52

10-PC 1/2" DR Torque Limiting Impact Extension Socket Set

682962 | JTLE-10S

- Allows accurate application of torque to automobile wheel fasteners
- Prevents over-tightening or uneven tightening of lug nuts
- Extension stops turning once specified torque is achieved and absorbs any additional impact
- Contains one of each:
65 ft-lbs, 75 ft-lbs, 80 ft-lbs,
90 ft-lbs, 100 ft-lbs, 110 ft-lbs,
120 ft-lbs, 140 ft-lbs, 150 ft-lbs,
160 ft-lbs



\$185⁹⁵

LIST \$302.85

5-PC 1/2" DR Torque Limiting Impact Extension Set

682961 | JTLE-5S

- Allows accurate application of specific torque to automobile wheel fasteners
- Prevents over-tightening or uneven tightening of lug nuts
- 5 extensions cover most passenger and light truck/SUV wheels
- Contains one of each:
65 ft-lbs, 80 ft-lbs, 100 ft-lbs,
120 ft-lbs, 140 ft-lbs



\$89⁹⁵

LIST \$148.50

Torque Wrenches

- 24-tooth Chrome Vanadium reversible ratchet (Chrome Molybdenum on 3/4" model)
- Dual ft-lbs and Nm scales
- Patented lock ring



\$238⁹⁵

LIST \$389.37

718918 | JTW-34600

3/4" DR | 600 ft-lbs

\$789⁹⁵

LIST \$1,298.12



\$779⁹⁵

LIST \$1,269.27

1" DR Impact Wrench – 6" Extended Anvil – Super Heavy Duty

400450 | IW1SHD6



- Produces 2,200 lbs of torque in reverse
- 3-speed adjustment and feather-touch trigger
- Internally mounted throttle trigger for operator safety and convenience
- Rotatable side handle for added comfort

Torque Limiters

Tools & Equipment Specials

Socket Sets



600125 | 42-PC | 1/4" DR

\$114⁹⁵
LIST \$187.43


Standard Length SAE: 3/16 - 1/2"
Deep Length SAE: 3/16 - 1/2"
Standard Length Metric: 4 - 12 mm
Deep Length Metric: 4 - 12 mm



600241 | 45-PC | 3/8" DR

\$219⁹⁵
LIST \$360.51

Standard Length SAE: 3/8 - 3/4"
Deep Length SAE: 3/8 - 13/16"
Standard Length Metric: 8 - 19 mm
Deep Length Metric: 8 - 19 mm



600341 | 55-PC | 1/2" DR

\$327⁹⁵
LIST \$533.64

Standard Length SAE: 3/8 - 1-1/4"
Deep Length SAE: 7/16 - 7/8"
Standard Length Metric: 10 - 32 mm
Deep Length Metric: 10 - 21 mm

- All components forged from high-quality Chrome Vanadium steel
- Chamfered edges allow easiest socket placement on fastener
- Extra-long deep sockets ensure maximum accessibility

1/2" DR Impact Wrench - Super Heavy Duty

400280 | IW12SHD

- Produces 1,100 ft-lbs of breakaway torque in reverse
- Twin hammer mechanism reduces vibration and increases durability
- Lightweight design weighs just 4.4 lbs
- Impact- and chemical-resistant lightweight, durable aluminum housing



SKD

\$264⁹⁵
LIST \$432.66



\$119⁹⁵
LIST \$194.63

2-in-1 Die Grinder Combo

402148

- Contains 1 each: 90° mini die grinder (402009) and 1 straight mini die grinder (402010)
- Ball bearing construction for maximum tool life and durability
- Lever throttle for positive speed control
- Built-in regulator
- Front exhaust



41" x 21" HD Series 15-Drawer Toolbox Combo

842961 | HDCC-4115

- Double-wall 18-gauge steel construction
- 15 drawers and generous till space
- Riveted aluminum mouldings
- Extra-generous 21-1/2" depth
- 120 lb-capacity ball bearing slides on all drawers

\$1,999⁰⁰
LIST \$3,748.86

41" x 21.5" x 63.5"



\$289⁹⁵
LIST \$475.93

16-PC Long Pattern Wrench Set - SAE

700135 | LCWS-16S

- Exclusive TORQUE DRIVE® non-slip open ends
- Super strong SAE 6140 Chrome Vanadium steel
- Fully polished mirror finish
- Extra-slim design allows access to the most confined spaces
- 15° offset

Standard SAE: 1/4 - 1-1/4"

5-PC Locking Pliers Set - Super Heavy Duty

730335 | LPS-5

SKD

\$117⁹⁵
LIST \$191.78

- Reverse-action release lever
- Locking nut secures jaw position
- 1/4" square drive hole in adjustment screw allows use of ratchet or flex bar
- 5, 7, 10" - Curved Jaw, 6, 9" - Long Nose



22-Ton Air/Hydraulic Truck Jack

030645 | 728D

- Designed for heavy-duty truck and trailer shop use, rail and bus work, and roadside service calls
- High-speed air motor design advances ram to load faster
- Narrow chassis design fits easily between tandem wheels
- Fully welded hydraulic pump and cylinder construction

\$929⁹⁵
LIST \$1,514.48



3-1/2-Ton Floor Jack - Super Heavy Duty


030607 | 986SHD

LIGHTNING LIFT

SKD

- Lightning Lift™ hydraulic system quickly raises the vehicle to desired lift height
- 20.5" max. lift height
- Heavy-gauge steel frame with upper and lower flanges
- Rubber saddle pad and foam handle bumper
- Ball-bearing rear-mounted swivel casters

\$439⁹⁵
LIST \$721.12



STRONGARM

Air Tools

POWER-XTREME T1 Cut-Off Wheels



501581

Size: 6" x 3/64" x 7/8"
Grade: A60PX
Max. RPM: 10,200

\$3⁸⁹
LIST \$6.35



\$3¹³
LIST \$5.10

501576

Size: 5" x 3/64" x 7/8"
Grade: A60PX
Max. RPM: 12,200



501571

Size: 4-1/2" x 3/64" x 7/8"
Grade: A60PX
Max. RPM: 13,300

\$2⁸⁷
LIST \$4.68

STEEL
S
SSt
STAINLESS
STEEL

Abrasives

- Manufactured with the most advanced technology of grains, bonds, and reinforcements, offers fast, cool, burn-free cutting of steel and stainless steel
- Specially designed technology ensures the longest life and best performance in its class

